



MAJOR LOW CUT

Article No.: 74110CV543

Model No.: 8937-4

Cavalier™ Major Safety Boots with Electrical Hazard Protection designed to give the user additional protection while working in places where the chance of exposure to electrical currents is high. The soles provide a safety barrier to protect from open electrical currents up to 20 Kilovolts. Comfortable, lightweight and 100% water resistant.



COMPOSITION:

- Safety Boots S3 made in Genuine Waterproof Leather
- 100% Metal Free.
- Good Design, comfortable, antislip, light & flexible.
- HRO Certification (resistant up to 300° C per contact)

FEATURES:

- Upper:** Waterproof AIRCELL Leather
- Lining:** Black 3D Mesh Lining (Polyester)
- Toecap:** Composite toe cap - 200J Resistant Toe Cap according to EN 12568:2010
- Insole:** Antistatic + Anti-bacterial foam
EVA + Nylon lining
- Midsole:** APT (Antiperforation Textile)
- Outersole:** Double Density PU/RUBBER (Direct Injection)
- Heel Stiffener:** Thermoplastic
- Standard:** EN ISO 20345:2011 CE
- Category:** S3 SRC HRO
- Color:** Black
- Sizes:** 39-48 (Europe)



COMPOSITE TOE CAP



ANTIPERFORATION



IMPACT RESISTANT



PENETRATION RESISTANT



SLIP RESISTANT



OIL RESISTANT



ELECTRICAL HAZARD PREVENT

MAJOR
LOW CUT



METAL FREE



Antistatic Anti-bacterial Foam

Also available in

MAJOR HIGH CUT

Art. No. 73110CV544

Model No. 8938-4



CATEGORY DESCRIPTION

S3 200 Joule Toecap Protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region. Water penetration and water absorption resistance. Plus penetration resistance. Cleated outsole.

Doc. Control:	Rev.:	Date:
	3.2	April 9, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FW 9034-3.2

BORN TOUGH

A PRODUCT OF





MAJOR LOW CUT
 Article No.: 74110CV543
 Model No.: 8937-4

MAJOR
 LOW CUT

TECHNICAL SPECIFICATIONS

Polyester shoelace with plastic tip aglets

Plastic shoelace eyelets

Pull tab

Upper textile

Red contrast

Waterproof smooth AIRCELL Leather

ANTIPERFORATION

Composite toe cap
S3 - Resistant 200J

METAL FREE
 100% No Metal

S3
CATEGORY DESCRIPTION

S3 200 Joule Toecap Protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region. Water penetration and water absorption resistance. Plus penetration resistance. Cleated outsole.

SHOE SIZE CHART AS PER EUROPEAN STANDARDS													
EU	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	5	5	6	6.5	7	8	9	10	10.5	11	11	13

High Abrasion Resistant, Anti-static & Anti-slip
Double Density PU/RUBBER SRC HRO
 (resist up to 300 °C)



Protect against open electrical current up to **20,000kV**

Shock absorber

PU overcap

Antistatic
 Anti-bacterial Foam

Doc. Control:	Rev.:	Date:
	3.2	April 9, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FW 9034-3.2

BORN TOUGH

A PRODUCT OF
PROTECTIVE LINE