



NITRI-MAX ST-2066

DESCRIPTION

- * Fully coated gloves for ensured protection against oils, greases, hydrocarbons and other liquefied materials
- * Excellent grip and slip resistance in wet, oily and greasy working conditions
- * Advanced abrasion and tear resistance for better performance
- * Overall protection coverage on fingers and palm
- * Outstanding mechanical performance against hand fatigue

IDEAL APPLICATIONS

- * Petrochemical
- * Oil platforms
- * Automotive
- * Painting
- * Construction
- * Shipping-Maritime

COLOR

Blue • Black • Dark Grey

SIZE

8/M • 9/L • 10/XL

PACKING

1 pair per polybag,
144 pairs per carton

STANDARDS

| | | | | |
|----|--------|-----------|-----------------|-------------|
| CE | EN 420 | EN 388 | ABRASION | CUT |
| | | | 0 1 2 3 4 | 0 1 2 3 4 5 |
| | | 4 1 2 1 X | TEAR | PUNCTURE |
| | | | 0 1 2 3 4 | 0 1 2 3 4 |
| | | | TDM-100 Test: X | |

GLOVE CARE


Can be washed using warm water and mild soap. Rinse with cold water and allow to air dry. Glove should be stored away from direct sunlight and humidity.



NITRILE FOAM PALM



DOUBLE DIPPED NITRILE



ELASTICATED CUFF



Certified to the
NEW ANSI 2016
Standards



HAND PROTECTION ENGINEERED.
ACHIEVED.



www.stegosafety.com

MULTI-PURPOSE