AEGIS

ALUMINIZED HOOD

Article No.: 1623AE475

High Heat Resistant Hood made of Aluminized Kevlar® Para-Aramid fabric best protection against molten metal & aluminum splashes. Meets CE Category III, EN ISO 11612 A1,B1,C3,D3,E2,F2 & EN ISO 11611 Class 2


Para-Aramid fabric


Turned under seam finish


Strongly stitched with Kevlar®

COMPOSITION

- **Fabric: Aluminized 100% Kevlar®** Para-Aramid
- **Weight:** 450 gsm
- **Thread stitching: Kevlar®** 50/3

SPECIFICATIONS

- 1.8mm (t) Polycarbonate Face Shield with scratch resistant coating (Multiple Visor Options: Clear, Clear Gold and Green)
- Head and shoulder protection
- Adjustable headgear, easy sizing with manual ratchet and knob tension adjustment
- Replaceable Neoprene sweatband

APPLICATIONS

- Ideal for foundry and casting, metal processing, handling of extremely hot components.

INTERNATIONAL STANDARDS

EN ISO 11612:2008

• Limited flame spread	**A1**
• Convective heat	**B1**
• Radiant heat	**C3**
• Splashes of molten aluminum	**D3**
• Splashes of molten iron	**E2**
• Contact heat	**F2**

EN ISO 11611 Class 2

EN ISO 11612 A1,B1,C3,D3,E2,F2 | EN 11611 Class 2 | CE CAT III

DuPont™ KEVLAR®

Doc. Control:	Rev.:	Date:
	3.2	March 22, 2016

FT FR | QUALITY ASSURED | A PRODUCT OF FT PROTECTIVE LINE

AEGIS

ALUMINIZED HOOD

Article No.: 1623AE475

Aluminized Hood

TECHNICAL FEATURES

Para-Aramid fabric inside

Male velcro for headgear fixing



Turned under seam finish



Strong Kevlar® stitching

Strong Kevlar® stitching

Fully covered head & shoulders

Headgear with Faceshield

TECHNICAL FEATURES

1.8mm thick Polycarbonate face shield with scratch resistant coating



Ratchet & Pinlock suspension

Adjustment knob for tension

Headgear lock for faceshield



Replaceable Neoprene sweatband

Female velcro for hood fixing

DuPont™ KEVLAR®

EN ISO 11612 A1,B1,C3,D3,E2,F2

EN 11611 Class 2

CE CAT III

Doc. Control:	Rev.:	Date:
	3.2	March 22, 2016

FR

QUALITY ASSURED

A PRODUCT OF PROTECTIVE LINE