

AEGIS

ALUMINIZED GAITERS

Article No.: 4323AE474

High Heat Resistant Gaiters made of Aluminized Kevlar® Para-Aramid fabric best protection against molten metal & aluminum splashes. Meets CE Category III, EN ISO 11612 A1,A2,B1,C3,D3,E2,F2 & EN ISO 11611 Class 2



COMPOSITION

- Fabric: Aluminized 100% Kevlar® Para-Aramid
- Weight: 450 gsm
- Thread stitching: Kevlar® 50/3

SPECIFICATIONS

- Fully aluminized gaiter
- Para-Aramid fabric inside lining
- Stitched with Kevlar® thread
- Underboot fastener
- Size: 42cm

APPLICATIONS

- Ideal for foundry, casting, metal processing and extreme hot work environment.



INTERNATIONAL STANDARDS

EN ISO 11612:2008

- Limited flame spread
- Convective heat
- Radiant heat
- Splashes of molten aluminum
- Splashes of molten iron
- Contact heat

EN ISO 11611 Class 2

**A1+A2
B1
C3
D3
E2
F2**



DuPont™
KEVLAR®

Doc. Control:	Rev.: 3.2	Date: March 22, 2016
---------------	-----------	----------------------

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6223-3.2

